Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	238	(symbol near5 rate) same fad\$	USPAT	OR	OFF	2005/02/07 10:32
S3	80	(symbol near5 rate) with fad\$	USPAT	OR	OFF	2005/02/10 10:37
S4	53	(symbol adj rate) with fad\$	USPAT	OR	OFF	2005/02/10 10:40
S6	5	(symbol adj rate) same (frequency adj selective adj fading)	USPAT	OR	OFF	2005/02/10 11:31
S5	20	(symbol adj rate) with (variation or fad\$) with channel	USPAT	OR	OFF	2005/02/10 11:31
S8	38	((symbol near5 rate) with (control\$4 or adjust\$4 or var\$5 or chang\$4 or modif\$5 or select\$5 or determin\$5)) same ((frequency with selective) or (fad\$4 with channel))	USPAT	OR	ON	2005/02/10 12:08
S9	43	((symbol near5 rate) with (control\$4 or adjust\$4 or var\$5 or chang\$4 or modif\$5 or select\$5 or determin\$5)) same (((frequency with selective) or fad\$4 or multipath) with channel)	USPAT	OR	ON	2005/02/10 17:01
S11	234	((symbol near5 rate) with (control\$4 or adjust\$4 or var\$5 or chang\$4 or modif\$5 or select\$5 or determin\$5) with channel) and ("455"/\$.ccls.)	USPAT	OR	ON	2005/02/10 17:03
S10	441	(symbol near5 rate) with (control\$4 or adjust\$4 or var\$5 or chang\$4 or modif\$5 or select\$5 or determin\$5) with channel	USPAT	OR	ON	2005/02/10 17:03
S12	151	((symbol adj rate) with (control\$4 or adjust\$4 or var\$5 or chang\$4 or modif\$5 or select\$5 or determin\$5) with channel) and ("455"/\$.ccls. or "370"/\$.ccls.)	USPAT	OR	ON	2005/02/10 18:38
S19	151	(((symbol adj rate) with (control\$4 or adjust\$4 or var\$5 or chang\$4 or modif\$5 or select\$5 or determin\$5))with channel) and ("455"/\$.ccls. or "370"/\$.ccls.)	USPAT	OR	ON	2005/02/10 18:59
S21	395	(channel adj fading)	USPAT	OR	ON	2005/02/10 19:01
S24	14	(fast with fad\$4)same (symbol adj rate)	USPAT	OR	ON	2005/02/10 19:22
S27	40	doppler with (symbol adj rate)	USPAT	OR	ON	2005/02/10 19:37
S29	3	(((frequency adj selective) or (fast adj fading)) with channel) with (symbol adj rate)	USPAT	OR	ON	2005/02/10 19:39

	r .					
S31	8	(((frequency adj selective) or (fast adj (varying or fading))) with channel) same (symbol adj rate)	USPAT	OR	ON	2005/02/10 19:43
S37	4	((symbol or baud) adj rate) with (increas\$4 or great\$4 or high\$4 or control\$4 or adjust\$4 or chang\$4) with (var\$8fad\$4 or doppler) and "455"/\$.ccls.	USPAT	OR	ON	2005/02/14 13:58
S36	14	((symbol or baud) adj rate) with (increas\$4 or great\$4 or high\$4 or control\$4 or adjust\$4 or chang\$4) with (fad\$4 or doppler) and "455"/\$.ccls.	USPAT	OR	ON	2005/02/14 13:58
S35	65	((symbol or baud) adj rate) with (increas\$4 or great\$4 or high\$4 or control\$4 or adjust\$4 or chang\$4) with (channel) and "455"/\$.ccls.	USPAT	OR	ON	2005/02/14 13:58
S38	43	((symbol or baud) adj rate) with (increas\$4 or great\$4 or high\$4 or control\$4 or adjust\$4 or chang\$4) with (var\$8 fad\$4 or doppler) and "455"/\$.ccls.	USPAT	OR	ON	2005/02/14 17:14
S42	9	((symbol or baud) adj rate) with (increas\$4 or great\$4 or high\$4 or control\$4 or adjust\$4 or chang\$4) with (var\$8 fad\$4 or doppler) and "455"/\$.ccls.	US-PGPUB	OR	ON	2005/02/14 17:24
S44	16	((symbol or baud) adj rate) with (increas\$4 or great\$4 or high\$4 or control\$4 or adjust\$4 or chang\$4) with (var\$8 fad\$4 or doppler)	EPO; JPO	OR	ON	2005/02/14 17:45
S48	197	ofdm and (symbol adj rate)	USPAT	OR	ON	2005/02/14 17:48
S49	34	ofdm and (symbol adj rate) and "455"/\$.ccls.	USPAT	OR	ON	2005/02/14 18:31
S55	47	increas\$4 with symbol with rate with fad\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 19:16
S56	21	increas\$4 with symbol with rate with fad\$4	USPAT	OR	ON	2005/02/14 19:17
S58	7	increas\$4 with (symbol adj rate) with fad\$4	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 19:22
S60	19	"455"/\$.ccls. and (symbol adj rate adj (select\$4 or determin\$4))	USPAT	OR	ON	2005/02/14 19:30

28	"455"/\$.ccls. and ((symbol adj	USPAT	OR	ON	2005/02/14 10:20
	rate) with frequency with (select\$4 or determin\$4))	031711		ON	2005/02/14 19:30
2	"455"/\$.ccls. and (symbol adj rate with (selector or determiner))	USPAT	OR	ON	2005/02/14 19:32
146	"455"/\$.ccls. and (symbol adj rate with (select\$4 or determin\$4 or control\$4 or adjust\$4 or chang\$4)	USPAT	OR	ON	2005/02/14 19:33
55	"455"/\$.ccls. and (symbol adj rate with (select\$4 or determin\$4 or control\$4 or adjust\$4 or chang\$4) with frequency)	USPAT	OR	ON	2005/02/14 19:52
12	(symbol adj rate) with delay with (doppler or fad\$4)	USPAT	OR	ON	2005/02/14 20:29
208	(symbol adj rate) with (carrier adj frequency)	USPAT	OR	ON	2005/02/14 20:39
1	(symbol adj rate) with delay with (error adj rate)	USPAT	OR	ON	2005/02/14 20:39
2	(symbol adj rate) with (carrier adj frequency) with (fading)	USPAT	OR	ON	2005/02/14 20:40
25	((symbol adj rate) with (carrier adj frequency)) and "455"/\$.ccls.	USPAT	OR	ON	2005/02/14 20:41
6	(symbol adj rate) with (carrier adj frequency) with (fad\$4 or doppler)	USPAT	OR	ON	2005/02/14 20:41
156	((symbol near5 rate) with ((error adj rate) or ber or ser)) and "455"/\$.ccls.	USPAT	OR	ON	2005/02/15 14:58
12	((symbol adj rate) with ((error adj rate) or ber or ser)) and "455"/\$. ccls.	USPAT	OR	ON	2005/02/15 15:02
1	((symbol adj rate) same((error adj rate) or ber or ser) same delay same (fad\$4 or doppler or frequency or chennal)) and "455"/\$.ccls.	USPAT	OR	ON	2005/02/15 15:03
28	((symbol adj rate) same((error adj rate) or ber or ser) same delay)	USPAT	OR	ON	2005/02/15 15:22
11	((symbol adj rate) same((error adj rate) or ber or ser) same delay same (fad\$4 or doppler or frequency or chennal))	USPAT	OR	ON	2005/02/15 15:22
98	(fading adj rate) and "455"/\$.ccls.	USPAT	OR	ON	2005/02/15 15:27
375	fading adj rate	USPAT	OR	ON	2005/02/15 15:27
4	((symbol adj rate) same((error adj rate) or ber or ser) same delay) and "455"/\$.ccls.	USPAT	OR	ON	2005/02/15 15:27
	146 55 12 208 1 2 25 6 156 12 1 1 28 11	"455"/\$.ccls. and (symbol adj rate with (selector or determiner)) "455"/\$.ccls. and (symbol adj rate with (select\$4 or determin\$4 or control\$4 or adjust\$4 or chang\$4)) "455"/\$.ccls. and (symbol adj rate with (select\$4 or determin\$4 or control\$4 or adjust\$4 or chang\$4) with frequency) 12 (symbol adj rate) with delay with (doppler or fad\$4) 208 (symbol adj rate) with (carrier adj frequency) 1 (symbol adj rate) with (carrier adj frequency) with (fading) 25 ((symbol adj rate) with (carrier adj frequency) with (fading) 25 ((symbol adj rate) with (carrier adj frequency) with (fad\$4 or doppler) 16 ((symbol near5 rate) with ((error adj rate) or ber or ser)) and "455"/\$.ccls. 12 ((symbol adj rate) with ((error adj rate) or ber or ser)) and "455"/\$.ccls. 1 ((symbol adj rate) same((error adj rate) or ber or ser) same delay same (fad\$4 or doppler or frequency or chennal)) and "455"/\$.ccls. 28 ((symbol adj rate) same((error adj rate) or ber or ser) same delay same (fad\$4 or doppler or frequency or chennal)) 11 ((symbol adj rate) same((error adj rate) or ber or ser) same delay same (fad\$4 or doppler or frequency or chennal)) 11 ((symbol adj rate) same((error adj rate) or ber or ser) same delay same (fad\$4 or doppler or frequency or chennal)) 13 (fading adj rate) and "455"/\$.ccls. 14 ((symbol adj rate) same((error adj rate) or ber or ser) same delay same (fad\$4 or doppler or frequency or chennal))	2 "455"/\$.ccls. and (symbol adj rate with (selector or determiner)) 146 "455"/\$.ccls. and (symbol adj rate with (select\$4 or determin\$4 or control\$4 or adjust\$4 or chang\$4)) 55 "455"/\$.ccls. and (symbol adj rate with (select\$4 or determin\$4 or control\$4 or adjust\$4 or chang\$4) with (select\$4 or determin\$4 or control\$4 or adjust\$4 or chang\$4) with frequency) 12 (symbol adj rate) with delay with (doppler or fad\$4) 208 (symbol adj rate) with (carrier adj frequency) 1 (symbol adj rate) with (carrier adj frequency) with (fading) 25 (symbol adj rate) with (carrier adj frequency) with (fad\$4 or doppler) 156 ((symbol near5 rate) with ((error adj rate) or ber or ser)) and "455"/\$.ccls. 12 ((symbol adj rate) with ((error adj rate) or ber or ser)) and "455"/\$.ccls. 12 ((symbol adj rate) same((error adj rate) or ber or ser) same delay same (fad\$4 or doppler or frequency or chennal)) and "455"/\$.ccls. 28 ((symbol adj rate) same((error adj rate) or ber or ser) same delay same (fad\$4 or doppler or frequency or chennal)) and "455"/\$.ccls. 28 ((symbol adj rate) same((error adj rate) or ber or ser) same delay same (fad\$4 or doppler or frequency or chennal)) 10 ((symbol adj rate) same((error adj rate) or ber or ser) same delay same (fad\$4 or doppler or frequency or chennal)) 11 ((symbol adj rate) same((error adj rate) or ber or ser) same delay same (fad\$4 or doppler or frequency or chennal)) 12 ((symbol adj rate) and "455"/\$.ccls. 13 (fading adj rate) and "455"/\$.ccls. 14 ((symbol adj rate) same((error adj rate) or ber or ser) same delay same (fad\$4 or doppler or frequency or chennal))	2 "455"/\$.ccls. and (symbol adj rate with (selector or determiner)) 146 "455"/\$.ccls. and (symbol adj rate with (select\$4 or determin\$4 or control\$4 or adjust\$4 or chang\$4)) 55 "455"/\$.ccls. and (symbol adj rate with (select\$4 or determin\$4 or control\$4 or adjust\$4 or chang\$4) with frequency) 12 (symbol adj rate) with delay with (doppler or fad\$4) 208 (symbol adj rate) with (carrier adj frequency) 1 (symbol adj rate) with (carrier adj frequency) with (fading) 2 (symbol adj rate) with (carrier adj frequency) with (fading) 2 (symbol adj rate) with (carrier adj frequency) with (fads\$4 or doppler) 1 (symbol adj rate) with (carrier adj frequency) with (fad\$4 or doppler) 1 ((symbol adj rate) with (cerror adj frequency) with (fad\$4 or doppler) 1 ((symbol near5 rate) with ((error adj rate) or ber or ser)) and "455"/\$.ccls. 1 ((symbol adj rate) same((error adj rate) or ber or ser)) and "455"/\$.ccls. 1 ((symbol adj rate) same((error adj rate) or ber or ser) same delay same (fad\$4 or doppler or frequency or chennal)) and "455"/\$.ccls. 28 ((symbol adj rate) same((error adj rate) or ber or ser) same delay same (fad\$4 or doppler or frequency or chennal)) 1 ((symbol adj rate) same((error adj rate) or ber or ser) same delay same (fad\$4 or doppler or frequency or chennal)) 1 ((symbol adj rate) same((error adj rate) or ber or ser) same delay same (fad\$4 or doppler or frequency or chennal)) 10 ((symbol adj rate) same((error adj rate) or ber or ser) same delay same (fad\$4 or doppler or frequency or chennal)) 11 ((symbol adj rate) and "455"/\$.ccls. 22 ((symbol adj rate) same((error adj rate) or ber or ser) same delay same (fad\$4 or doppler or frequency or chennal)) 11 ((symbol adj rate) and "455"/\$.ccls. 12 (symbol adj rate) same((error adj rate) or ber or ser) same delay same (fad\$4 or doppler or frequency or chennal) or same delay same (fad\$4 or doppler or frequency or chennal) or same delay same (fad\$4 or doppler or frequency or chennal) or same delay same (fad\$4 or doppler or frequency or che	2 "455"/\$.ccls. and (symbol adj rate with (selector or determiner)) 146 "455"/\$.ccls. and (symbol adj rate with (select\$4 or determin\$4 or control\$4 or adjust\$4 or chang\$4) 55 "455"/\$.ccls. and (symbol adj rate with (select\$4 or determin\$4 or control\$4 or adjust\$4 or chang\$4) 12 (symbol adj rate) with delay with (doppler or fad\$4) 208 (symbol adj rate) with (carrier adj frequency) 1 (symbol adj rate) with (carrier adj frequency) 1 (symbol adj rate) with (carrier adj frequency) with (fading) 25 ((symbol adj rate) with (carrier adj frequency) with (fading) 25 ((symbol adj rate) with (carrier adj frequency) with (fad\$4 or doppler) 166 ((symbol adj rate) with (carrier adj frequency) with (fad\$4 or doppler) 176 ((symbol adj rate) with (cerror adj rate) or ber or ser)) and "455"/\$.ccls. 1 ((symbol adj rate) with ((error adj rate) or ber or ser)) and "455"/\$.ccls. 28 ((symbol adj rate) same((error adj rate) or chennal)) and "455"/\$.ccls. 28 ((symbol adj rate) same((error adj rate) or ber or ser) same delay same (fad\$4 or doppler or frequency or chennal)) and "455"/\$.ccls. 28 ((symbol adj rate) same((error adj rate) or ber or ser) same delay same (fad\$4 or doppler or frequency or chennal)) and "455"/\$.ccls. 28 ((symbol adj rate) same((error adj rate) or ber or ser) same delay same (fad\$4 or doppler or frequency or chennal)) 10 ((symbol adj rate) and "455"/\$.ccls. 28 ((symbol adj rate) and (error adj rate) or ber or ser) same delay same (fad\$4 or doppler or frequency or chennal)) 29 (fading adj rate) and "455"/\$.ccls. 20 (symbol adj rate) and "455"/\$.ccls. 21 ((symbol adj rate) and "455"/\$.ccls. 22 (symbol adj rate) and "455"/\$.ccls. 23 (symbol adj rate) and "455"/\$.ccls. 24 (symbol adj rate) and "455"/\$.ccls. 25 (symbol adj rate) and "455"/\$.ccls. 26 (symbol adj rate) and "455"/\$.ccls. 27 (symbol adj rate) and "455"/\$.ccls. 28 (symbol adj rate) and "455"/\$.ccls. 29 (symbol adj rate) and "455"/\$.ccls. 20 (symbol adj rate) and "455"/\$.ccls. 21 (symbol adj rate) and "455"/\$.c

S83	17	(fading adj rate) and "455"/\$.ccls. and (symbol adj rate)	USPAT	OR	ON	2005/02/15 15:47
S85	101	((symbol adj rate) with (determin\$4 or control\$4 or select\$4 or adjust\$4)) and transmitter and "455"/\$.ccls.	USPAT	OR	ON	2005/02/15 15:49
S88	61	((symbol adj rate) with (determin\$4 or select\$4)) and transmitter and "455"/\$.ccls.	USPAT	OR	ON	2005/02/15 16:03
S86	14	((symbol adj rate) with (determin\$4 or control\$4 or select\$4 or adjust\$4)) same transmitter and "455"/\$.ccls.	USPAT	OR	ON	2005/02/15 16:03
S87	6	((symbol adj rate) with (determin\$4 or select\$4)) same transmitter and "455"/\$.ccls.	USPAT	OR	ON	2005/02/15 17:02
L1	1	(symbol adj rate) with (delay adj profile)	USPAT	OR	ON	2005/02/17 12:50